UR FOG
SECURITY FOGGING SYSTEMS

AJAX < READY >

SECURITY FOGGING SYSTEMS

MODULAR Line and **COMPACT 390**

UR FOG the only Official AJAX Partner

AJAX
READY

Anti-intrusion system needs to be connected to a central alarm. A central alarm system increases the security to the installation of the anti-intrusion fogging system.

Fogging system

COMPACT 390

AJAX READY

1 MOTION SENSORS

By motion detection and door/window opening detection **sensors**, the fog emission is automatically activated.

2 PHOTO VERIFICATION

The **MotionCam** camera motion detection takes a series of animated pictures and sends them for an accurate assessment of the situation; in casy of actual need, not a false alarm, the fog emission can be active remotely.

3 WIRELESS
ACTIVATION MODES OF THE FOGGING SYSTEM

Fogging systems

MODULAR

AJAX READY

Line

3 ANTIPANIC / ANTI-ROBBERY

If needed, it is possible to activate manually the **Fogging System**, thank to the keyfob with **SpaceControl** antipanic button, the **DoubleButton** emergency button and the **Button antipanic** button, when the system is not armed.

QUICK INSTALLATION!

No cables or connections required. Ready for wireless use.
Excellent high-tech solution at lowest price.

MODULAR AJAX <READY> Line

Desk stand

Wall or ceiling installation

COMPACT 390 AJAX <READY>

Desk stand

Wall or ceiling installation

Product code	Models	Fog emission and saturation:
FPUC390DA	**COMPACT 390** AJAX <READY>	covers up to 200 150 m³ in 50 seconds NO VISIBILITY
FPU03ESM200A	**MODULAR 200** AJAX <READY>	covers up to 200 200 m³ in 28 seconds NO VISIBILITY
FPU03ESM300A	**MODULAR 300** AJAX <READY>	covers up to 200 300 m³ in 40 seconds NO VISIBILITY
FPU03ESM400A	**MODULAR 400** AJAX <READY>	covers up to 200 400 m³ in 46 seconds NO VISIBILITY
FPU03ESM500A	**MODULAR 500** AJAX <READY>	covers up to 200 500 m³ in 48 seconds NO VISIBILITY
FPU03ESM800A	**MODULAR 800** AJAX <READY>	covers up to 200 800 m³ in 69 seconds NO VISIBILITY

Product code	Accessories for **COMPACT** AJAX <READY>
FPUSTDC	Desk stand
FPUWBC	Orientable wall bracket
SCCCOC	Side extra riser (for second extra board or horizontal mounting)
SKITHM	Compact Kit for horizontal mounting (side extra riser + fluid bag holder)
SCOFBHC	Fluid bag holder (for horizontal mounting)
URCLWF	Active Cloud LAN/WiFi board with cables (optional WiFi antenna)
URCLWFA	WiFi antenna module for Active Cloud



Product code	Accessories for **MODULAR** AJAX <READY> Line
FPUSTD	Desk stand
FPUWB	Orientable wall bracket
URCLWF	Active Cloud LAN/WiFi board (optional WiFi antenna)
URCLWFA	WiFi antenna module for Active Cloud
URCLWFM	Mounting Kit for Active Cloud board (cable 12V + flat cable)



Product code	Refills for **COMPACT 390** AJAX READY
FFXR500	Fluid bag 500 ml **FOOD GRADE**

Product code	Refills for **MODULAR** AJAX READY
FFLXRC2/3	Fluid bag 500 ml
FFLXRC2/3FG	Fluid bag 500 ml **FOOD GRADE**
FFLXRC4/5	Fluid bag 750 ml
FFLXRC4/5FG	Fluid bag 750 ml **FOOD GRADE**
FFLXTRC8	Fluid bag 1000 ml
FFLXTRC8FG	Fluid bag 1000 ml **FOOD GRADE**

FOOD CONTACT Safety Tested

ANTI-INTRUSION FLUID **FOOD GRADE**

The only certified Anti-Intrusion Fogging Systems for the protection of food production, processing and sales environments.

FOOD GRADE is the innovative mixture designed to safeguard food productions, processing and sales environments.

FOOD CONTACT certificate for FOOD & BEVERAGE departments.
Produced fog has been tested according to the Food Contact regulation to meet food products without altering their composition and organoleptic properties.
Tests carried out in accordance with Regulation (EC) No 1935/2004.

CONFIGURATION MANUAL WITH AJAX ALARM CONTROL PANEL

UR FOG
SECURITY FOGGING SYSTEMS

UR FOG S.r.l.
Operation and delivery to: Via Toscana 38 - 10099 San Mauro T.se (Torino) - Italy
Legal Office: via Giacinto Collegno 11 - 10143 Torino - Italy
Phone +39 11 0133037 | info@urfog.com | www.urfog.com